

INDEX

5-hydroxytryptophan (5-HTP), 224

A

- acemannan, 153–154
- acetaminophen, 155, 157, 293, 294, 376
- Acid-Alkaline Food Guide, The* (Brown & Trivieri), 226
- Actos (pioglitazone), 386
- acupuncture
 - anxiety, 364
 - general, 283–284
 - immune system, 150, 156
 - pain, 296–297, 299–301
 - resources, 463
 - sleep problems, 407
- acute Lyme disease. *See* Lyme disease: stages
- Adams, Patch, 437
- adrenal glands
 - anxiety, 364
 - general, 147–149, 161–162, 165–166, 318, 323–327
 - sleep, 186
 - testing, 122, 340
 - See also* endocrine (hormonal) disruption
- advanced glycation end products (AGEs), 182–183, 198
- Afzelius, Arvid, 14
- air quality, 393
- alcohol, 66, 155, 157, 163, 223, 402
- allergies and sensitivities
 - depression, 367
 - diet, 185, 198, 350–351
 - inflammation, 179–180
 - testing, 123
- aloe vera, 153–154
- alpha glycans, 168, 386
- alpha lipoic acid, 163, 224, 333, 357, 379, 385
- ALS. *See* Lou Gehrig's disease (ALS)
- alternative medicine
 - fatigue, 332–334
 - general, 282–285, 288, 440
 - pain, 297–302
 - resources, 456, 461–463
 - See also* acupuncture; herbal medicine; holistic medicine; homeopathic
- remedies; herbs; massage
- Alzheimer's disease, 17, 56, 182, 189
- Ambien (benzodiazepine), 407, 408. *See also* benzodiazepines
- amitriptyline, 295, 370, 408
- amoxicillin, 78, 245–246
- anaplasmosis, 40, 77–79, 116, 119, 258
- Anatomy of an Illness* (Cousins), 437
- andrographis, 163, 277–278, 375, 385–386
- anemia, 405
- angiotensin converting enzyme test, 123
- antibiotics
 - diagnosis of Lyme disease and co-infections, 70–72

IDSAs guidelines, 18–19

Jarish-Herxheimer reaction (*see* Jarish-Herxheimer reaction)

prevention of Lyme disease, 39–41

treatment of co-infections, 78, 80–81, 253–258

treatment of Lyme disease, 16, 43, 49, 173, 239–251, 286–287

yeast growth, 228, 244, 246, 247, 250, 273–276, 349–350

See also specific antibiotics

antibodies, 93–94, 143, 145–147, 187–188. *See also* testing, tick-born infections; antibody tests

antidepressants

- drug interactions, 365, 369
- fatigue, 331
- pain, 295–296
- sleep problems, 371, 405, 408, 409

anti-nuclear antibody test (ANA), 120

antioxidants, 155, 181, 372, 376–380, 441

anxiety

- causes, 350, 361–362
- general, 359–361, 411
- sleep problems, 405
- treatment, 363–365

See also psychological health

appetite, changes in, 69

appreciation, 420–423. *See also* hope

Arnica, 298

Artemisinin, 278

arthritis, 182, 189, 405

aspirin, 294, 303, 310, 376. *See also* non-steroidal anti-inflammatory drugs (NSAIDs)

astragalus, 160, 162

atherosclerosis, 182

atovaquone, 256–257, 269

attitude, positive. *See* hope

autoimmune dysfunction, 179. *See also* immune system

Avandia (rosiglitazone), 386

azithromycin (Zithromax), 240, 246, 248–249, 256, 257, 258

B

babesiosis, 67–72, 113–115, 256–258, 278, 365

bacteria, 186–187. *See also* *Borrelia burgdorferi* (Bb) bacterium; probiotics

Bactrim (TMP/SMX), 257–258

balance problems, 54, 65, 84

bartonellosis

- anxiety, 361, 363
- general, 69, 72–76
- testing, 110, 115–116
- treatment, 40, 163, 253–256, 276, 337

Bb bacterium. *See* *Borrelia burgdorferi* (*Bb*) bacterium

beans and legumes, 208–209, 213, 219

behavioral disorders. *See* psychological health

Bell's palsy, 54, 65, 84

Benson, Herbert, 424

benzodiazepines, 360, 365, 407, 408

beta carotene, 155–158

beta glucan, 153

beverages, 198–199, 205, 207, 212, 218, 221

Biaxin (clarithromycin), 119, 240, 248–249, 255, 258

Bihari, Bernard, 315

biopsies, 107

bipolar disorder. *See* psychological health

BLO (Bartonella-like organism). *See* bartonellosis

blood pressure, high, 182, 267

borage oil. *See* essential fatty acids (EFAs)

Borrelia burgdorferi (*Bb*) bacterium, 4–6, 13, 42. *See also* Jarish-Herxheimer reaction

boswellia, 310–311

bowel problems. *See* gastrointestinal tract

brain fog

- candidiasis, 350
- Lyme disease, 53, 59, 66, 84, 108, 380
- Rocky Mountain spotted fever (RMSF), 80–81
- treatment, 331, 337, 431

brain metabolism, 383–386

Brain SPECT scans, 108–109

breast pain and milk production, 65

breathing

- deep, 433–434
- problems, 65, 69, 74, 189, 405

Buckwald, Alfred, 14, 41
Buhner, Stephen Harrod, 160, 172, 277, 457
bull's eye rash. *See* rashes
bupropion (Wellbutrin), 331, 371
Burgdorfer, Willy, 4, 13
burning. *See* nerve symptoms
Burrascano, Joseph, 63–66, 72, 109, 269, 278
butter, 204, 215, 218, 222

C

caffeine, 224, 362–363, 402
calcium, 403
camping, 38, 64
cancer, 189, 226
candidiasis, 189, 260, 352–353, 367. *See also* antibiotics: yeast growth
Cannon, William, 132
carbohydrates, refined, 182–183, 218, 222
cardiac problems, 8, 14, 59–63, 65, 74, 84, 189
cardiolipin antibodies test, 123
carnitine, 334–335, 389
cat scratch fever. *See* bartonellosis
cat's claw (*Uncaria tomentosa*), 162, 163–164, 276–277
cause of Lyme disease, 4–6, 42. *See also* *Borrelia burgdorferi* (*Bb*) bacterium
CD57 test, 121, 140, 154, 163, 239
ceftriaxone (Rocephin), 246–247, 372
celiac disease, 123, 179, 350–351
Centers for Disease Control and Prevention (CDC)
 co-infections, 68
 Lyme disease, 10–12, 63, 90–92, 94–95, 97–106
cephalosporins, 78, 240, 242, 246–247
charcoal, 383
cheese. *See* dairy products
chest pain, 65

chills, 64, 69, 80–81
chlamydia, 82, 85
chlorella, 382, 385, 397
chocolate, 150, 156, 220, 402
cholestyramine (CSM), 381–382
choline, 368
chromium, 224
chronic fatigue syndrome (CFS/CFIDS), 8, 144, 155
chronic inflammation. *See* inflammation, chronic
chronic Lyme disease. *See* Lyme disease: stages
cilantro, 397
ciprofloxacin, 81, 254. *See also* fluoroquinolones
clarithromycin (Biaxin), 119, 240, 248–249, 255, 258
Clostridium difficile. *See* gastrointestinal tract: problems
clothing. *See* prevention of Lyme disease
codeine, 294–295, 318
coenzyme Q10, 268–269, 335, 378–379
coffee, 212
co-infections
 anaplasmosis, 40, 77–79, 116, 119, 258
 babesiosis, 67–72, 113–115, 256–258, 278, 365
 bartonellosis (*see* bartonellosis)
 chlamydia, 82, 85
 Colorado tick fever, 82, 118
 ehrlichiosis, 40, 77–79, 116, 119, 255, 258
 general, 10, 20, 66–67, 85
 leptospirosis, 82, 85
 mycoplasma, 82, 85, 117
 Powassan encephalitis, 82, 118
 Q fever, 82, 85
 Rocky Mountain spotted fever (RMSF), 40, 77, 80–81, 85, 116
 salmonella, 82, 85
 STARI, 40, 79–80
 testing, 112–118, 121–124, 126
 tick paralysis, 82
 tularemia, 81, 85
 West Nile virus 81 117

Colorado tick fever, 82, 118
complete blood count test (CBC), 119
comprehensive metabolic chemistry profile, 119
concentration problems. *See* brain fog
conjugated linoleic acid (CLA), 385
Conscious Breathing (Hendricks), 434
coordination problems, 54, 84
cortisol, 147–149, 323–324, 326–327. *See also* adrenal glands; endocrine (hormonal) disruption
cough, 65, 69, 81
counseling, 281, 364, 365–366, 443, 444–445. *See also* psychological health
countries more at risk for Lyme disease, 10–13, 41
Cousins, Norman, 437
C-reactive protein (CRP) test, 120, 191
culture tests, 106–107
curcumin, 157, 306–307, 375, 385
cyclical nature of Lyme disease, 54, 84, 252–253
Cymbalta (duloxetine), 295, 370
cystic fibrosis, 189

cytokines, 141–142, 143–144, 160, 181
cytomegalovirus (CMV), 117. *See also* viral diseases

D

dairy products, 204, 215, 218, 222
DEET, 32–33. *See also* insect repellents
dementia. *See* psychological health
dental health, 118, 391, 398–399, 462
depression
 causes, 263, 267, 292, 350, 366–367, 415
 general, 58, 84, 365–366, 411
 sleep problems, 405
 treatment, 270, 279, 336, 368–371 (*see also* antidepressants)
 See also psychological health
detoxification, 180, 332, 391–400, 412–413, 464. *See also* Lyme Inflammation
Diet (LID): phase 1
devil's claw, 309
DHEA, 323, 326–327. *See also* adrenal glands; endocrine (hormonal)
disruption
diabetes, 182, 183, 189, 367
Diagnosis and Treatment of Babesia, The (Schaller), 72
diagnosis of Lyme disease
 general, 87–88, 111–112, 125–127, 234–239, 286
 rashes (*see* rashes)
 testing (*see* testing, other; testing, tick-born infections)
 See also misdiagnosis of Lyme disease
Diagnostic Hints and Treatment Guidelines for Lyme and Other Tick Borne Illnesses (Burrascano), 109
diet. *See* Lyme Inflammation Diet (LID); nutrition, importance of proper; standard American diet (SAD)
Diflucan (fluconazole), 353
digestive system. *See* gastrointestinal tract
disorientation, 66
disseminated Lyme disease. *See* Lyme disease: stages; symptoms of Lyme disease: disseminated
DNA tests, 107–108
doctors. *See* Lyme-Aware Medical Practitioners (LAMPs)
Dossey, Larry, 429
doxycycline
 prevention of Lyme disease, 39–41
 sunlight sensitivity, 441
 treatment of co-infections, 78–81, 255, 258
 treatment of Lyme disease, 240, 243–245, 250
 See also tetracyclines
D-ribose, 335–336
drugs. *See* antibiotics; antidepressants; non-steroidal anti-inflammatory drugs (NSAIDs); *specific drugs*
Duke, James A., 22, 195
duloxetine (Cymbalta), 295, 370

E

Eastern equine encephalitis (EEE), 118. *See also* viral diseases
eating disorders, 189. *See also* psychological health
Eckhardt, Meister, 421

eggs, 203–204, 219
ehrlichiosis, 40, 77–79, 116, 119, 255, 258
electrocardiogram (EKG), 119
eleutherococcus (Siberian ginseng), 148, 166, 364
ELISA blood tests
 accuracy of, 4, 44
 babesiosis, 114
 food allergies, 123
 two-tiered testing, 92–95, 99, 101–105, 126
emotional health. *See* hope
emu oil, 297, 299
endocrine (hormonal) disruption
 depression, 367
 general, 318–320, 339–341
 sleep problems, 404
 steroid hormones, 323–327, 389
 testing, 122–123, 327–329, 340
 thyroid hormones, 270, 321–323, 325, 367, 388, 405
 treating, 329–330
 See also adrenal glands
endorphins, 149–150, 168–169, 185–186, 314–318
energy depletion. *See* fatigue
enjoying today, 438–439. *See also* hope
enteroviruses. *See* viral diseases
environmental toxins and pollutants. *See* detoxification
Epstein-Barr virus, 117, 144, 155. *See also* viral diseases
erythema migrans rash (EM/ECM). *See* rashes
erythromycin, 248
essential fatty acids (EFAs)
 healthy diet, 167, 203, 269–272, 368, 374
 liver health, 358–359
 trans-fatty acids, 185, 198, 222
 See also conjugated linoleic acid (CLA)
estrogen, 323–327, 329, 389, 404. *See also* endocrine (hormonal) disruption
exercise
 depression, 369
 detoxification, 396–397
 immune system, 149–150, 155–159, 166, 186, 278–280
 inflammation, 186, 278–280
 sleep problems, 402–403

F

facial paralysis, 54, 65, 84
fatigue
 candidiasis, 350
 co-infections, 69, 73, 80
 general, 48, 185–186, 330, 341
 Lyme disease, 54, 64, 84
 treatment, 285, 331–337, 371
 See also chronic fatigue syndrome (CFS/CFIDS); sleep
fats. *See* essential fatty acids (EFAs); standard American diet (SAD)
fever
 co-infections, 69, 73, 77, 80–81
 Lyme disease, 50, 64, 83
 side effect of antibiotics, 246, 252, 258

- fiber, 198, 274, 348
- fibroids, 405
- fibromyalgia, 4, 8–9, 54, 84, 189
- fish. *See* meats and fish
- fish oil. *See* essential fatty acids (EFAs)
- FISH test, 114
- fishing, 64
- Flagyl (metronidazole), 240, 246, 249–250, 350, 353
- fluconazole (Diflucan), 353
- flu-like symptoms, 45, 73, 258. *See also* symptoms of Lyme disease
- fluoroquinolones, 78, 254. *See also* ciprofloxacin; Levaquin (levofloxacin)
- folic acid, 368, 403
- food allergies. *See* allergies and sensitivities
- forgiveness, 431–433. *See also* hope
- free radicals, 181, 185
- fried and processed foods, 181, 182–183, 217–218, 222. *See also* standard American diet (SAD)
- fructose, 182–183. *See also* sugar, refined
- fruit juices. *See* beverages
- fruits
 - antibiotics and, 228
 - antioxidants, 181
 - general, 222
 - Lyme Inflammation Diet (LID), 199–200, 206, 207, 212, 218

G

- gabapentin (Neurontin), 296, 408, 409–410
- GABA, 364, 388
- Gabitril, 409–410
- gardening, 64, 161, 235
- garlic, 157, 278, 363, 397
- gastrointestinal tract
 - general, 343–349, 410
 - problems, 65, 74, 81, 189, 349–353, 405
- gentamycin, 81
- geographical regions more at risk for Lyme disease, 10–13, 41
- ginger, 307
- ginkgo biloba, 369, 390
- glands, swollen, 64, 69, 73, 81
- glucosamine, 297, 299
- glutamine, 224, 333, 348, 352
- glutathione (GSH), 155–156, 163, 167–168, 332–334, 357, 379–380
- gluten. *See* celiac disease
- glycine, 332, 407, 408, 409
- gout, 189
- grains, 202, 208, 213–214, 219
- grape seed, 148, 357, 375, 379
- gratitude, 420–423. *See also* hope
- green tea
 - anxiety, 364
 - immune system, 148
 - inflammation, 374–375
 - liver health, 357
 - Lyme Inflammation Diet (LID), 207
 - neurological problems, 386, 388

- sleep problems, 402

H

- hair loss, 64
- hallucinations. *See* psychological health
- headaches
 - co-infections, 69, 73, 77, 80–81
 - Lyme disease, 54, 65, 83–84, 109
 - side effect of antibiotics, 245, 250, 252, 256
- Healing Lyme* (Buhner), 160, 172, 277, 457

Healing Words (Dossey), 429
hearing problems, 54, 59, 65, 73, 84
heart disease. *See* cardiac problems
heavy metals
 depression, 367
 detoxification, 332, 391, 397, 398–400
 endocrine system, 320, 324–325
 immune system, 144, 180
 testing, 123, 124, 460
helping others, 445–446. *See also* hope
Hendricks, Gay, 434
hepatitis viruses, 118, 356. *See also* viral diseases
herbal medicine
 anxiety, 364–365
 depression, 369
 detoxification, 397
 fatigue, 333
 general, 276–278, 457, 463
 immune system, 148, 151, 153–154, 160, 163–164, 166
 inflammation, chronic, 305–313
 liver health, 357
 neurological problems, 375, 385–386
herbs and spices, 202–203, 209, 220, 305–313, 352
herpes simplex viruses, 85, 117. *See also* viral diseases
Herx. *See* Jarish-Herxheimer reaction
higher power, 423–424, 428–430, 444. *See also* hope
hiking, 26, 38, 64, 99, 161
HIV, 118, 155. *See also* viral diseases
HLA genetic testing, 124
holistic medicine, 461
homeopathic remedies, 297–298, 462–463
homeostasis, 132, 171, 319
hope
 alternative resources, 440
 appreciation, 420–423
 enjoy today, 438–439
 forgiveness, 431–433
 general, 415–419, 446–448
 helping others, 445–446
 higher power, 423–424, 444
 humor, 150, 370, 436–437
 light (*see* light)
 nutrition (*see* nutrition, importance of proper)
 optimism, 424–427
 oxygen/breathing (*see* breathing, oxygen)

 prayer and positive vision, 428–430, 444
 relationships, 434–436
 trust, 442–445
hormones. *See* endocrine (hormonal) disruption
humor, 150, 370, 436–437. *See also* hope
hunting, 38, 64, 99, 161, 235
hyperglycemia, 183, 189. *See also* diabetes
hypoglycemia, 328, 367, 404

I

ibuprofen, 294, 303, 376. *See also* non-steroidal anti-inflammatory drugs (NSAIDs)
IFA blood test
 accuracy of, 44
 babesiosis, 114
 two-tiered testing, 92–95, 99, 101–105, 126
immune system
 adaptive system, 138–139, 142–147, 170
 adrenal glands (*see* adrenal glands)
 early stage Lyme disease, 161–166
 endorphins (*see* endorphins)
 enhancement and regulation, 150–152, 172
 general, 131–142, 169–173
 innate system, 137–138, 139–142, 170
 late stage Lyme disease, 166–169

- prevention of Lyme disease, 152–161, 172 (*see also* prevention of Lyme disease)
- immunoglobulins. *See* antibodies
- Infectious Diseases Society of America (IDSA) guidelines, 18–21
- inflammation, acute, 138, 141–142, 150–151, 176–177
- inflammation, chronic
 - causes of, 178–187
 - conventional treatment, 303–305
 - diet to reduce (*see* Lyme Inflammation Diet (LID))
 - effects of, 187–191, 367, 373–376
 - endorphin-enhancing therapy, 314–318
 - general, 175–177, 229–230, 302–303
 - nutritional and herbal supplementation, 305–313
 - risk of, 191–195
- inositol, 364, 403
- insect repellents, 26, 32–35, 459. *See also* prevention of Lyme disease
- insomnia. *See* sleep
- insulin resistance, 181, 183–184, 195, 383–386
- intravenous immune globulin (IVIg), 305
- iron deficiency, 405

J

- Jarish-Herxheimer reaction, 56, 165, 251–253, 277
- joint pain. *See* pain

K

- kava kava, 365
- Ketek (telithromycin), 119, 240, 248–249
- ketolides, 248–249

- kidney disease, 189, 405
- Klinghardt, Dietrich, 383
- Klonopin (benzodiazepine), 407. *See also* benzodiazepines

L

- LAMPs. *See* Lyme-Aware Medical Practitioners (LAMPs)
- laughter, 150, 370, 436–437
- lawns, reducing ticks, 35–38
- lead. *See* heavy metals
- leptin resistance, 181, 184, 195
- leptospirosis, 82, 85
- Levaquin (levofloxacin), 253–255, 441. *See also* fluoroquinolones
- levofloxacin (Levaquin), 253–255, 441. *See also* fluoroquinolones
- Lexapro, 371
- licorice, 148, 166
- Lidoderm patches, 296
- Liegner, Kenneth, 112–113, 456
- lifestyle, 151, 157, 159, 172, 287–288, 369. *See also* alcohol; exercise; nutrition, importance of proper; obesity; psychological health; smoking; spiritual health; stress, chronic
- lightheadedness, 66
- light
 - benefits of, 121, 164, 265–266, 370, 440–442
 - sensitivity to, 54, 65, 73, 80, 84, 244, 441
 - See also* hope
- liver health, 69, 189, 353–359, 411
- LLMDs. *See* Lyme-Aware Medical Practitioners (LAMPs)
- Lou Gehrig's disease (ALS), 8, 56, 84
- low dose naltrexone (LDN) therapy. *See* naltrexone
- L-theanine, 364
- lumbar punctures, 109–110
- Lunesta, 408
- lupus, 189
- Lyme carditis. *See* cardiac problems
- Lyme disease
 - basics, 3–10, 42–44
 - controversy surrounding, 15–21, 44
 - forms, 240
 - history, 13–21, 41
 - prevention, 152–161, 172
 - symptoms, 42–44
 - treatment, 161–172

- organizations, 435–437
- prevalence, 10–13, 42
- stages, 49–50
- Lyme Inflammation Diet (LID)
 - basics, 195–197, 221–228, 231, 259–260
 - phase 1 (induction), 198–206
 - phase 2 (early reentry), 206–211
 - phase 3 (late reentry), 211–216
 - phase 4 (maintenance), 217–221
 - recipes, 479–498
- Lyme meningitis, 110
- Lyme-Aware Medical Practitioners (LAMPs), 21–24, 44, 125, 447–448, 455, 461
- Lyme-Literate Medical Doctors (LLMDs). *See* Lyme-Aware Medical Practitioners (LAMPs)
- lymphocytes, 93, 140

M

- macrolides, 78, 240, 242, 248–249, 256, 258
- macrophages, 93, 139–140, 141, 142, 152–154
- magnesium
 - anxiety, 362–363
 - depression, 368
 - general, 264, 266–268
 - immune system, 166
 - sleep problems, 403
 - testing, 121
- magnet therapy, 298–299
- margarine, 209–210, 222
- massage
 - anxiety, 364
 - detoxification, 397
 - immune system, 150, 156
 - pain, 296–297, 301–302
 - resources, 463
- Masters, Ed, 79
- McGrath, Mike, 31
- meats and fish, 198, 203–204, 209, 215, 219, 222
- medical history, 111, 234–236. *See also* diagnosis of Lyme disease
- medications. *See* antibiotics; antidepressants; non-steroidal anti-inflammatory drugs (NSAIDs); *specific drugs*
- melatonin, 336, 384, 388, 403, 407
- memory loss, 54, 59, 66, 84
- menstrual irregularities, 65
- mercury. *See* heavy metals
- metals. *See* heavy metals
- methylcobalamin. *See* vitamins: B-complex
- metronidazole (Flagyl), 240, 246, 249–250, 350, 353
- mice, 31–32
- milk thistle, 357
- mindfulness, 439
- mineral supplements. *See* nutritional supplements
- minocycline, 240, 243–245
- misdiagnosis of Lyme disease
 - conventional blood screening tests, 7, 52–58
 - general, 3–4, 7–10
 - lack of rash, 7, 56–58, 60–62
 - mistaken for other diseases, 8, 16–17, 56–62
 - unnoticed tick bites, 7, 16–17, 56–58, 60–62
 - See also* diagnosis of Lyme disease
- modafinil (Provigil), 331
- monosodium glutamate (MSG), 223, 362–363
- months with highest risk of tick bites, 27
- mood swings. *See* psychological health
- MS. *See* multiple sclerosis (MS)
- MSG (monosodium glutamate), 223, 362–363
- multiple sclerosis (MS), 8, 56, 57, 84, 189
- mycoplasma, 82, 85, 117

N

- N-acetyl cysteine (NAC). 156. 163. 293. 333. 357

naltrexone, 168–169, 303, 314–318, 338–339, 376, 464
 natural killer cells (NK), 140–141, 149–150, 154–160
 nausea, 69, 244, 249, 250, 252, 304
 nerve symptoms, 54, 65, 74, 84. *See also* neurological problems
 neurological problems
 brain metabolism and, 383–386
 chronic inflammation and, 373–376
 general, 14, 56–58, 69, 84, 110, 371–372
 infection and, 372
 neurotoxins and, 380–383
 other neurological issues, 386–391
 oxidative stress and, 376–380
 See also nerve symptoms
 Neurontin (gabapentin), 296, 408, 409–410
 nightshade foods, 214–215
 nitrates, 223
 non-steroidal anti-inflammatory drugs (NSAIDs), 294, 303–305, 376, 386
 nortriptyline, 370
 NSAIDs. *See* non-steroidal anti-inflammatory drugs (NSAIDs)
 numbness. *See* nerve symptoms
 nutrition, importance of proper
 depression, 367–369
 detoxification, 393
 emotional health, 430–431
 immune system, 155–156
 inflammation, 188, 373
 sleep problems, 403–404
 See also Lyme Inflammation Diet (LID); nutritional supplements; standard
 American diet (SAD)
 nutritional supplements
 depression, 368–369
 fatigue, 334–337
 general, 260–269
 immune system, 151, 166
 inflammation, 305–313
 resources, 464–465
 sugar cravings, 224
 nuts and seeds, 200, 206, 207–208, 213, 219, 358
 Nystatin, 353

O

obesity, 181–182, 184, 189, 405
 oils
 coconut, 222
 hydrogenated, 222
 olive, 204, 222, 272
 sesame, 204, 222
 vegetable, 185, 222, 271
 See also essential fatty acids (EFAs)
 omega-3 oils. *See* essential fatty acids (EFAs)
 omega-6 oils. *See* essential fatty acids (EFAs)
 opioids, 294–295, 296
 optimism, 424–427. *See also* hope
 organic foods, 358
 oxidative stress, 181, 376–380. *See also* free radicals

oxygen

deep breathing, 433–434 (*see also* breathing)
effect on harmful microorganisms, 180, 226, 433
therapy, 284–285

P

pain

alternative treatment, 297–302
candidiasis, 350
co-infections, 69, 74, 80–81
conventional treatment, 292–297
depression caused by, 367
endorphins providing relief for (*see* endorphins)
general, 292, 338
Lyme disease, 53–54, 65, 83–84
sleep problems caused by, 405

pain management specialists, 296, 462

panic attacks. *See* anxiety

Paparone, Phillip W., 59–60

paranoia. *See* psychological health

Parkinson's disease, 56, 84, 189, 405

parvovirus. *See* viral diseases

passion flower, 365

patients' responsibilities, 23–24, 450

Paxil, 371

PCR tests, 107–108, 114–115, 116, 117

pelvic pain, 65

penicillins, 240, 242, 245–246. *See also* amoxicillin

Perlmutter, David, 373

permethrin, 32–33. *See also* insect repellents

personality disorders. *See* psychological health

pets, 26–27, 30–31, 64, 438

phosphatidylcholine (PC), 204, 390

phosphatidylserine (PS), 389

phospholipid exchange, 383, 390

physical therapy, 296

physicians. *See* Lyme-Aware Medical Practitioners (LAMPs)

pioglitazone (Actos), 386

piroplasm, 67–68

Post-Lyme Disease Syndrome (PLDS), 19, 76, 112

Powassan encephalitis, 82, 118

prayer and positive vision, 428–430, 444. *See also* hope

prevention of Lyme disease

antibiotics, 39–41

buildings and lawns, 35–38

general, 24–29, 45

immune system, 152–161, 172

insect repellents, 26, 32–35, 459

mice, 31–32

outdoor activities, 26, 38

pets, 26–27, 30–31

self-inspection for ticks, 29–30

probiotics, 228, 272–276, 352, 353

processed and fried foods, 181, 182–183, 217–218, 222. *See also* standard American diet (SAD)

progesterone, 270, 323–327, 329, 362, 389, 404. *See also* endocrine

(hormonal) disruption

Provigil (modafinil), 331

psychological health

general, 278–279, 415–418, 446–448 (*see also* hope)

problems, 58–59, 66, 69, 73–74, 84 (*see also* anxiety, depression)

Q

Q fever, 82, 85

R

rashes

bull's eye (EM) rash, 6–7, 14, 19, 43, 50–53, 64

- co-infections, 74, 77, 79–81
- side effect of antibiotics, 244, 246, 247, 249, 250, 258
- recipes, 479–498
- reflexes, 54, 84
- relapsing fever (TBRF), 80, 85
- relationships, 434–436. *See also* hope
- religion. *See* higher power; prayer and positive vision; spiritual health
- resources, 453–465
- respiratory problems, 65, 69, 74, 189, 405
- resveratrol (Japanese knotweed), 162, 163, 276, 375, 383
- rheumatoid factor test (RA factor), 120
- rhodiola (goldenroot), 148, 166, 364
- rifampin, 255–256, 258, 363, 372
- ringworm, 51
- Rocephin (ceftriaxone), 246–247, 372
- Rocky Mountain spotted fever (RMSF), 40, 77, 80–81, 85, 116
- rosiglitazone (Avandia), 386
- Rothstein, Binyamin, 407
- Rozerem, 408

S

- salmonella, 82, 85
- salt, 202, 220, 223
- SAM-e, 336–337, 368
- sarcoidosis, 165
- saunas, 397, 399, 441–442
- Schaller, James, 72
- schisandra seed, 148
- schizophrenia. *See* psychological health
- seasonality of tick activity, 27
- sedimentation rate (sed rate), 69, 120
- seeds and nuts, 200, 206, 207–208, 213, 219, 358
- selenium, 156, 332, 357
- sensitivities and allergies
 - depression, 367
 - diet, 185, 198, 350–351
 - inflammation, 179–180
 - testing, 123
- Septra (TMP/SMX), 257–258
- sexual dysfunction, 65

- Sherr, Virginia, 58–59
- Shoemaker, Ritchie C., 381
- Siberian ginseng (eleutherococcus), 148
- signs of Lyme disease, 47, 83. *See also* symptoms of Lyme disease
- sleep
 - importance, 160, 166, 185–186, 400–402
 - problems, causes, 292, 320, 328, 389, 402–405, 413
 - problems, treatments, 123, 295, 296, 370–371, 406–410, 464
 - recommended amount, 149, 280, 370
 - symptom of co-infections, 74
 - symptom of Lyme disease, 54, 66, 84
- smoking, 155, 157, 180–181, 394, 402
- sodas. *See* beverages
- Sonata, 408
- Southern tick-associated rash illness (STARI), 40, 79–80
- SPECT scans, 108–109
- speech problems, 66
- spices and herbs, 202–203, 209, 220, 305–313, 352
- spicy foods, 157
- spider bites, 51
- spinal taps, 109–110
- spiritual health, 415–419, 446–448. *See also* hope
- spirochetal bacterium. *See* *Borrelia burgdorferi* (Bb) bacterium
- spleen enlargement, 69
- St. John's wort, 365, 369
- standard American diet (SAD), 184–185, 218, 264, 312
- STARI, 40, 79–80
- states more at risk for Lyme disease, 10–13, 41
- Steere, Allen, 13

Stephania root, 307–309, 375
steroids, 303–305, 349
stiffness, 65, 74
stomach problems. *See* gastrointestinal tract
streptomycin, 81
stress, chronic
 anxiety, 361
 depression, 367
 endocrine (hormonal) disruption, 320
 gastrointestinal tract, 349
 general, 281–282
 immune system, 148, 151, 155
 reducing, 434, 446 (*see also* exercise)
 sleep problems, 405
sugar, refined
 advanced glycation end products (AGEs), 182–183
 avoiding, 217–218, 222
 cravings for, 223–224
 universal negative inflammation triggers (UNITS), 198
 See also sweeteners
suicidal thoughts, 58, 84, 365. *See also* psychological health
sulfites, 223
sunlight. *See* light
support groups, 419, 435–436, 451, 455
sweats, 64, 69, 73, 84
sweeteners, 204, 209–210, 220, 223, 362. *See also* sugar, refined
swelling, 53, 65, 84

symptoms of Lyme disease
 disseminated (stages two and three), 53–63
 general, 14, 47–50, 63–66, 82–84
 localized (stage one), 50–53
 rashes (*see* rashes)
syphilis test, 120
systemic enzymes, 311–313

T

lymphocytes, 142–145, 161–165
Tan, Amy, 16–17
TBRF (tick-borne relapsing fever), 80, 85
telithromycin (Ketek), 119, 240, 248–249
testicular pain, 65
testing, co-infections, 112–118, 121–124, 126
testing, liver function, 355–356
testing, other, 118–124
testing, tick-borne infections
 antibody tests, 92–95 (*see also* ELISA blood tests; Western Blot test)
 general, 7, 19, 44, 52, 88–89, 236–239
 labs, 460–461
 not necessary if bull's eye rash present, 43, 51, 88
 other types of tests, 106–110
 politics of, 90–92
 two-tiered testing, 95–106, 126
testosterone, 323–327, 362, 389, 404. *See also* endocrine (hormonal)
disruption
tetracyclines, 40–41, 80–81, 240, 242, 243–245, 250, 441. *See also*
doxycycline
throat pain, 65, 73
thyroid hormones, 270, 321–323, 325, 367, 388, 405. *See also* endocrine
(hormonal) disruption
tick-borne relapsing fever (TBRF), 80, 85
tick paralysis, 82
tick repellents. *See* insect repellents
ticks
 avoiding (*see* prevention of Lyme disease)
 bites as cause of Lyme disease, 5, 13
 general, 456
 geographical regions, 10–13, 41
 removing, 27–29
 seasonality of activity, 27
 self-inspection for, 29–30

testing, 28–29, 40, 457–459
See also Borrelia burgdorferi (Bb) bacterium
tingling. *See* nerve symptoms
TMP/SMX (Bactrim), 257–258
toxic minerals. *See* heavy metals
tramadol, 294–295, 318
trans-fatty acids. *See* essential fatty acids (EFAs)
Traumeel, 298
trazedone, 370
treatment of Lyme disease
 acupuncture, 283–284
 antibiotics (*see* antibiotics)

exercise (*see* exercise)
 general, 233, 282–283
 nutrition (*see* Lyme Inflammation Diet (LID)); nutrition, importance of
 proper)
 oxygen therapy, 284–285
tremors, 66, 74
trust, 442–445. *See also* hope
tryptophan, 368, 408
TSH tests, 122
tularemia, 81, 85
turmeric, 157, 306–307, 375, 385
twitching of muscles, 65
tyrosine, 337

U

universal negative inflammation triggers (UNITs), 198
urinalysis, 119, 124

V

valerian root, 365, 407
Vanderhoof-Forschner, Karen, 14, 102–103, 457
vanilla extract, 204
vascular endothelial growth factor (VEGF), 115–116, 121
vegetable juices. *See* beverages
vegetables
 antioxidants, 181
 Lyme Inflammation Diet (LID), 200–202, 208, 219
vertigo. *See* balance problems
vinegar, apple cider, 204
vinpocetine, 390
viral diseases, 82, 117–118, 144, 356
vision problems
 co-infections, 73, 80–81
 Lyme disease, 14, 54, 59, 65, 84
visualization, 429–430
vitamins
 A, 164, 261
 B-complex, 164, 166, 168, 224, 261–264, 368, 390
 C, 166, 264, 357, 368, 377–378
 D, 164–165, 265–266, 274, 368–369, 374
 E, 378
 See also nutritional supplements

W

Warburg, Otto, 226
water, 198–199, 205, 207, 393–394
weakness, muscle, 54, 81
weight change, 64
Welchol, 381–382
Wellbutrin (bupropion), 331, 371
West Nile virus, 81, 117
Western Blot test, 92–95, 100, 104–106, 238–239
Western equine encephalitis (WEE), 118. *See also* viral diseases
whey protein, undenatured, 333

white willow bark, 309–310

X

Xyrem, 409

Y

yeast

healthy, 228, 349

unhealthy overgrowth (candidiasis), 189, 260, 352–353, 367 (*see also*
antibiotics: yeast growth)

Z

zinc, 155, 382

Zithromax (azithromycin), 240, 246, 248–249, 256, 257, 258

Zoloft, 371